

MATERIAL SAFETY DATA SHEET

----- I. PRODUCT IDENTIFICATION -----

TRADE NAME (as labeled): **L-300 Rapid - Part B; Super Epoxy 2000 - Part B, 2000LT Part B, 2001 Part B**

CHEMICAL FAMILY: Epoxy Resin

Reviewed & Approved By:
Steven B. Fine
Steven B. Fine
Sr. Research Chemist/Safety Officer

MANUFACTURER'S NAME: Laticrete International, Inc.
1 Laticrete Park, N.
Bethany, CT 06524-3423 Usa

Phone number for additional information: (203) 393-0010

Date prepared or revised: 01/01/00 Name of preparer: R. Rooshenas

----- II. HAZARDOUS INGREDIENTS -----

CHEMICAL NAMES	CAS NUMBERS	PERCENT	ACGIH TLV	OSHA PEL	OTHER (SPECIFY)
Phenol, 4,4'-(1 - methylethylidene) Bis-, polymer w/ (chloromethyl)oxirane	25068-38-6	N/A	N/A	N/A	N/A
Phenol-Formaldehyde Polymer Glycidyl Ether	28064-14-4	N/A	N/A	N/A	N/A

W.H.M.I.S. Code D.2

N/A = Not applicable or available

----- III. PHYSICAL PROPERTIES -----

Vapor density (air=1): N/A Melting point or range, °F: N/A

Specific gravity: 1.17 Boiling point or range, °F: >392 (200 °C)

Solubility in water: Insoluble Evaporation rate (butyl acetate = 1): N/A

Vapor pressure, mmHg at 20°C: N/A

Appearance and odor: N/A

HOW TO DETECT THIS SUBSTANCE (warning properties of substance as a gas, vapor, dust, or mist): N/A

This information is furnished without warranty, representation, inducement or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate.

L-300 Rapid - Part B; Super Epoxy 2000 - Part B, 2000LT Part B, 2001 Part B

----- IV. FIRE AND EXPLOSION -----

Flash Point, °F (give method): > 200° F

Auto ignition temperature, °F: N/A

Flammable limits in air, volume %: N/A Lower (LEL) _____ Upper (UEL)

Fire extinguishing materials:

water spray
 foam

carbon dioxide
 dry chemical

_____ other:

Special fire fighting procedures: N/A

Unusual fire and explosion hazards: Decomposition & combustion products may be toxic

----- V. HEALTH HAZARD INFORMATION -----

SYMPTOMS OF OVEREXPOSURE for each potential route of exposure.

Inhaled: N/A

Contact with skin or eyes: Slight irritation

Absorbed through skin: Slight irritation

Swallowed: N/A

HEALTH EFFECTS OR RISKS FROM EXPOSURE. Explain in lay terms. Attach extra page if more space is needed:

Acute: Over exposure causes irritation, sensitization & dermatitis

Chronic: N/A

FIRST AID: EMERGENCY PROCEDURES

Eye Contact: Flush with large amounts of water for at least 15 minutes, call a physician

Skin Contact: Wash with soap and water

Inhaled: Remove to fresh air. Give oxygen if breathing is difficult

Swallowed: Give large quantities of water, get medical attention

SUSPECTED CANCER AGENT?

NO: This product's ingredients are not found in the lists below.

YES: _____ Federal OSHA _____ NTP _____ IARC

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Allergy, Eczema, or skin conditions

L-300 Rapid - Part B; Super Epoxy 2000 - Part B, 2000LT Part B, 2001 Part B

----- VI. REACTIVITY DATA -----

Stability: X Stable Unstable

Conditions to avoid: N/A

Incompatibility (materials to avoid): Strong oxidizing agents

Hazardous decomposition products (including combustion products): Carbon monoxide, carbon dioxide, aldehydes

Hazardous polymerization: May occur X Will not occur

Conditions to avoid: Strong acid or bases in bulk

----- VII. SPILL, LEAK, AND DISPOSAL PROCEDURES -----

Spill response procedures (include employee protection measures): Take up with absorbent material shovel into a closeable container. Flush contaminated area with water. (Avoid all personal contact).

Preparing wastes for disposal (container types, neutralization, etc.): N/A

NOTE: Dispose of all wastes in accordance with federal, state and local regulations.

----- VIII. SPECIAL HANDLING INFORMATION -----

Ventilation and engineering controls: Good ventilation

Respiratory protection (type): Use NIOSH approved respirator suitable for organic vapors, if required

Eye protection (type): Goggles

Gloves (specify material): Impervious gloves

Other clothing and equipment: Use of barrier cream recommended

Work practices, hygienic practices: N/A

Other handling and storage requirements: N/A

Protective measures during maintenance of contaminated equipment: N/A